. Notice of Allowability	Application No.	Applicant(s)	
	10/554,351	STIIG ET AL.	
	Examiner	Art Unit	
	Christopher Verdier	3745	
	Ciliotopher Volulei	1 01 40	
- The MAILING DATE of this communication appeal All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RID of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this apport or other appropriate communication IGHTS. This application is subject to	olication. If not included will be mailed in due cours	se. <b>THIS</b>
1. This communication is responsive to Applicant's Amendme	ent dated October 31, 2007.		
2.   The allowed claim(s) is/are 1-10.			
<ul> <li>3. Acknowledgment is made of a claim for foreign priority ur</li> <li>a) All b) Some* c) None of the:</li> <li>1. Certified copies of the priority documents have</li> </ul>			
2. Certified copies of the priority documents have been received in Application No			
3. ☑ Copies of the certified copies of the priority do			rom the
International Bureau (PCT Rule 17.2(a)).		Tational Stage application in	
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	• •	complying with the requirer	nents
4. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give			E OF
5. CORRECTED DRAWINGS (as "replacement sheets") mus	st be submitted.		
(a) I including changes required by the Notice of Draftspers	on's Patent Drawing Review (PTO-9	948) attached	
1)  hereto or 2)  to Paper No./Mail Date	•		
(b) including changes required by the attached Examiner's Paper No./Mail Date	s Amendment / Comment or in the O	ffice action of	
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the			) of
6. DEPOSIT OF and/or INFORMATION about the depo- attached Examiner's comment regarding REQUIREMENT			he
•		•	
Attachment(s)  1.  Notice of References Cited (PTO-892)	5. Notice of Informal Page	atent Application	
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	• •	
	Paper No./Mail Date	è	
<ol> <li>Information Disclosure Statements (PTO/SB/08),</li> <li>Paper No./Mail Date</li> </ol>	7. 🛛 Examiner's Amendr	nent/Comment	
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8.   Examiner's Stateme	nt of Reasons for Allowand	;e
	9.  Other	9.  Other	
	·		

10/554,351 Art Unit: 3745

## **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

## In the Specification:

The amendment to the specification dated October 31, 2007 has not been entered because it does not conform to 37 CFR 1.121. The changes therein are incorporated in this Examiner's Amendment.

On page 2, line 20, "b - b" has been changed to -- B - B --.

On page 2, line 21, "c - c" has been changed to -- C - C --.

On page 2, line 25, "d - d" has been changed to -- D --.

On page 2, line 29, "b - b" has been changed to -- B - B --.

On page 3, line 7, "axis" has been changed to -- axle --.

On page 4, line 29, "d - d" has been changed to -- D - D --.

On page 4, the last two lines have been deleted.

On page 4, after line 31, beginning as a new line, the following has been inserted:

-- In this alternative embodiment, there is no need to make the tower lean away from the wind and as such no need to incline the rotor blades 28. This --.

Application/Control Number:

10/554,351

Art Unit: 3745

In the Claims:

In claim 1, line 2, "the" has been changed to -- a --.

In claim 1, line 3, "a" (first occurrence) has been changed to -- the --.

The above changes to the specification have been made because the amendment to the specification dated October 31, 2007 does not conform to 37 CFR 1.121. The above changes to claim 1 have been made to correct obvious errors.

## Reasons for Allowance

The following is an examiner's statement of reasons for allowance:

The instant application is directed toward an unobvious improvement over the invention disclosed in French Patent 1,086,320. The French Patent discloses a wind power plant of cyclone type comprising a base 11, a tower 1 arranged above the base and being open at the top and provided with a side inlet 5 for the wind to generate a cyclone in the tower, a substantially horizontal turbine 9 having inlets near 12 through the base and an outlet 8 to the center of the cyclone in the tower. The improvement comprises the tower being formed such that the cross-section of the tower forms an elliptical shape in the horizontal plane substantially along the entire tower length, the center of the ellipse being positioned substantially at the tower axis. None of the prior art of record discloses or suggests the improvement. Applicant's argument in the Remarks dated October 31, 2007 (page 8, paragraph three and the paragraph bridging onto page 4) that the tower in French Patent 1,086,320 is a logarithmic spiral has been carefully considered

Art Unit: 3745

and is persuasive. The rejection of claims 5 and 8 under 35 USC 102(b) as being anticipated by French Patent 1,086,320 is thus withdrawn.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Christopher Verdier whose telephone number is (571) 272-4824. The examiner can normally be reached on Monday-Friday from 10:00-6:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Edward K. Look can be reached on (571) 272-4820. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

C.V.

December 9, 2007

Christopher Verdier Primary Examiner

Art Unit 3745